

Inside diameter of the hose	EN 853 1ST- DIN 20022 1ST- SAE 100 R1A	EN 853 1SN - DIN 20022 1SN - SAE100 R1AT				EN 853 2ST- DIN 20022 2ST - SAE100R2A	EN 853 2SN - DIN20022 2SN- SAE100 R2AT		EN 857 1SC - 1SN K- 1SC LONGLIFE		EN857 1SC EASY K
	STANDAARD	STANDAARD				STANDAARD	STANDAARD		STANDAARD		STANDAARD
	SKIVE FERRULE	SKIVE FERRULE	NON SKIVE FERRULE			SKIVE FERRULE	SKIVE FERRULE	NON SKIVE FERRULE	NON SKIVE FERRULE		NON SKIVE FERRULE
	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE			TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE		TYPE AND SIZE
3/16"	0001-03	0001-03	0011-03	001C-03	0022-03	0002-03	0002-03	0022-03	-	-	-
	14,9 (20mm)	14,9 (20mm)	14,9	14,5	15,2	16,6 (21mm)	16,6 (21mm)	16,2	-	-	-
1/4"	0001-04	0001-04	0011-04	001C-04	0022-04	0002-04	0002-04	0022-04	001C-04	001K-04H	001C-04
	17,2 (23mm)	16,7 (23mm)	16,3	15,5	16,4	17,8 (22mm)	17,8 (22mm)	17,5	15,1	14,6	15,1
5/16"	0001-05	0001-05	0011-05	001C-05	0022-05	0002-05	0002-05	0022-05	001C-05	001K-05H	001C-05
	19,2 (23mm)	19,2 (23mm)	18,3	17,8	18,5	20,5 (22mm)	20,5 (22mm)	19,4	16,9	16,7	16,9
3/8"	0001-06	0001-06	0011-06	001C-06	0022-06	0002-06	0002-06	0022-06	001C-06	001K-06H	001C-06
	21,1 (24mm)	21,1 (24mm)	20,6	20,4	20,1	22,1 (24mm)	22,1 (24mm)	20,9	19,4	18,5	19,4
1/2"	0001-08	0001-08	0011-08	001C-08	0022-08	0002-08	0002-08	0022-08	001C-08	001K-08H	001C-08
	25,0 (25mm)	25,0 (25mm)	23,3	23,4	24,3	25,1 (25mm)	25,1 (25mm)	25,1	22,1	22,3	22,1
5/8"	0001-10	0001-10	0011-10	001C-10	0022-10	0002-10	0002-10	0022-10	001C-10	001K-10H	001C-10
	28,3 (27mm)	28,3 (27mm)	27,0	26,8	27,2	28,5 (27mm)	28,5 (27mm)	28,3	26,0	24,9	26,0
3/4"	0001-12	0001-12	0011-12	001C-12	0022-12	0002-12	0002-12	0022-12	001C-12	001K-12H	001C-12
	32,3 (31mm)	32,3 (31mm)	31,1	31,0	31,8	33,0 (31mm)	33,0 (31mm)	32,3	29,8	28,7	29,8
1"	0001-16	0001-16	0011-16	001C-16	0022-16	0002-16	0002-16	0022-16	001C-16	-	001C-16
	39,9 (37mm)	39,9 (37mm)	38,6	38,8	39,8	40,3 (37mm)	40,3 (37mm)	40,8	37,4	-	37,4
1-1/4"	0001-20	0001-20	0011-20	001C-20	0022-20	0002-20	0002-20	0022-20	001C-20	-	-
	47,4 (46mm)	47,4 (46mm)	47,5	48,0	48,0	50,8 (43mm)	50,8 (43mm)	50,9	45,5	-	-
1-1/2"	0001-24	0001-24	0011-24	001C-24	0022-24	0002-24	0002-24	0022-24	001C-24	-	-
	52,3 (44mm)	52,3 (44mm)	53,6	55,2	55,2	57,2 (45mm)	57,2 (45mm)	58,0	53,6	-	-
2"	0001-32	0001-32	0011-32	001C-32	0022-32	0002-32	0002-32	0022-32	001C-32	-	-
	65,9 (60mm)	68,5 (60mm)	68,7	68,4	68,5	69,5 (61mm)	69,5 (61mm)	70,8	66,2	-	-

RECOMMEND FERRULE

V: 13-03-2024

Inside diameter of the hose	EN 857 2SC - 2SN K - SAE100 R16 - 2SC HIPAC, 2SC LONGLIFE, 2SC MARATHON				EN 857 2SC EASY K	SAE100 R17			EN 854- SAE100 R3	EN 854- SAE100 R6- DIN 20021 1TE	EN 855- SAE100 R7
	STANDAARD				STANDAARD	STANDAARD			STANDAARD	STANDAARD	STANDAARD
	SKIVE FERRULE	SKIVE FERRULE	NON SKIVE FERRULE		NON SKIVE FERRULE	NON SKIVE FERRULE			NON SKIVE FERRULE	NON SKIVE FERRULE	NON SKIVE FERRULE
	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE		TYPE AND SIZE	TYPE AND SIZE			TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE
3/16"	0001-03	-	001C-03	-	-	001C-03	-	-	0003-03	0007-03	0007-03
	14,9 (20mm)	-	14,7	-	-	13,5	-	-	14,6	13,0	11,5
1/4"	0001-04	001K-04H	001C-04	0022-04	001C-04	001C-04	001K-04H	-	0003-04	0007-04	0007-04
	16,5 (23mm)	14,5 (23mm)	15,5	16,7	15,5	15,1	14,6	-	17,0	14,2	13,7
5/16"	0001-05	001K-05H	001C-05	0022-05	001C-05	001C-05	001K-05H	-	0003-05	0007-05	0007-05
	19,0 (23mm)	15,7 (23mm)	17,8	18,4	17,8	16,9	16,7	-	18,4	16,8	16,4
3/8"	0001-06	001K-06H	001C-06	0022-06	001C-06	001C-06	001K-06H	-	0003-06	0007-06	0007-06
	21,0 (24mm)	18,0 (26,5mm)	20,4	20,1	20,4	19,4	18,5	-	21,1	18,5	18,2
1/2"	0001-08	001K-08H	001C-08	0022-08	001C-08	001C-08	001K-08H	-	0003-08	0007-08	0007-08
	24,4 (25mm)	22,0 (26,5mm)	23,0	24,3	22,8	22,3	22,3	-	25,7	22,6	22,5
5/8"	0001-10	001K-10H	001C-10	0022-10	001C-10	001C-10	-	0012-10	0003-10	0007-10	0007-10
	28,3 (27mm)	24,4 (28,5mm)	26,8	27,2	26,5	26,8	-	28,0	29,7	25,6	25,6
3/4"	0001-12	001K-12H	001C-12	0022-12	001C-12	001C-12	-	0012-12	0003-12	0007-12	0007-12
	31,5 (31mm)	29,0 (34,5mm)	30,7	31,4	30,7	30,7	-	33,2	33,2	29,5	28,7
1"	0001-16	-	001C-16	0022-16	001C-16	001C-16	-	-	0003-16	0007-16	0007-16
	39,1 (37mm)	-	38,6	39,6	38,6	39,2	-	-	40,5	37,0	36,5
1-1/4"	0001-20	-	001C-20	0022-20	-	-	-	-	0003-20	-	-
	47,4 (46mm)	-	46,9	47,2	-	-	-	-	46,2	-	-
1-1/2"	0001-24	-	001C-24	0022-24	-	-	-	-	-	-	-
	52,3 (44mm)	-	55,0	55,0	-	-	-	-	-	-	-
2"	-	-	001C-32	0022-32	-	-	-	-	-	-	-
	-	-	67,8	68,0	-	-	-	-	-	-	-

Inside diameter of the hose	3SC HIPAC			EN 856 4SP - DIN 20023 4SP				EN 856 4SH - DIN 20023 4SH			
	STANDAARD			STANDAARD		MULTISPIRAL	INTERLOCK	STANDAARD		MULTISPIRAL	INTERLOCK
	SKIVE FERRULE	NON SKIVE FERRULE		SKIVE FERRULE	NON SKIVE FERRULE	SKIVE FERRULE		SKIVE FERRULE	NON SKIVE FERRULE	SKIVE FERRULE	
	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE
3/16"	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-
1/4"	-	-	-	0009-04	-	0019-04	-	-	-	-	-
	-	-	-	18,5 (22mm)	-	18,4 (30mm)	-	-	-	-	-
5/16"	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-
3/8"	0002-06	0022-06	-	0009-06	BMC1-06	0019-06	-	-	-	-	-
	22,0 (24mm)	21,0	-	22,6 (26mm)	26,4	23,0 (31mm)	-	-	-	-	-
1/2"	0002-08	0022-08	-	0009-08	-	0019-08	-	-	-	-	-
	26,2 (25mm)	25,2	-	26,5 (28mm)	-	26,5 (34mm)	-	-	-	-	-
5/8"	0002-10	0022-10	-	0009-10	-	0019-10	-	-	-	-	-
	29,2 (27mm)	28,8	-	30,1 (31mm)	-	30,0 (38mm)	-	-	-	-	-
3/4"	0002-12	0022-12	BMC1-12	0009-12	BMC1-12	0019-12	004N-12	0009-12	BMC1-12	0019-12	004N-12
	34,1 (31mm)	32,7	37,1	33,8 (34mm)	37,4	34,6 (39mm)	33,1 (15 / 52)	33,8 (34mm)	37,4	34,6 (39mm)	33,0 (15 / 52)
1"	0002-16	0022-16	BMC1-16	0009-16	BMC1-16	0019-16	004N-16	0009-16	BMC1-16	0019-16	004N-16
	42,3 (37mm)	40,6	46,3	42,3 (48mm)	46,0	42,3 (56mm)	41,5 (17 / 64)	42,0 (48mm)	46,3	42,3 (56mm)	41,2 (17 / 64)
1-1/4"	-	-	-	0009-20	BMC1-20	-	-	-	BMC1-20	-	004N-20
	-	-	-	51,2 (54mm)	57,3	-	-	-	53,4	-	50,5 (22 / 74)
1-1/2"	-	-	-	0009-24	BMC1-24	-	-	-	-	-	004N-24
	-	-	-	60,3 (62mm)	63,8	-	-	-	-	-	56,8 (22,5 / 81)
2"	-	-	-	0009-32	-	-	-	-	-	-	004N-32
	-	-	-	73,2 (64mm)	-	-	-	-	-	-	72,7 (30 / 87)

Inside diameter of the hose	SAE100 R15	SAE100 R4 ZUIGSLANG	SAE100 R6	EN 854 2TE	EN 854 3TE	TEFLON 1 GLAD	TEFLON 3 GEGOLFD				
	INTERLOCK	STANDAARD	STANDAARD	STANDAARD	STANDAARD	STANDAARD	STANDAARD				
	SKIVE FERRULE	NON SKIVE FERRULE	NON SKIVE FERRULE	NON SKIVE FERRULE	NON SKIVE FERRULE	NON SKIVE FERRULE	NON SKIVE FERRULE				
	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE	TYPE AND SIZE				
3/16"	-	-	0007-03	0003-03	0003-03	01TF-03	-				
	-	-	13,0	14,6	15,0	11,5	-				
1/4"	-	-	0007-04	0007-04	0003-04	01TF-04	03TF-04				
	-	-	14,2	15,0	16,0	13,0	12,2				
5/16"	-	-	0007-05	0007-05	0003-05	01TF-05	03TF-05				
	-	-	16,8	16,3	18,2	13,8	14,0				
3/8"	-	-	0007-06	0007-06	0003-06	01TF-06	03TF-06				
	-	-	18,5	18,8	20,6	15,5	16,5				
1/2"	-	-	0007-08	0007-08	0003-08	01TF-08	03TF-08				
	-	-	22,6	22,6	23,3	20,5	20,2				
5/8"	0013-10	-	0007-10	0007-10	0003-10	01TF-10	03TF-10				
	29,5 (15 / 47)	-	25,6	26,5	27,5	23,5	24,0				
3/4"	004N-12	0003-12	0007-12	0007-12	0003-12	01TF-12	03TF-12				
	33,2 (15 / 52)	33,0	29,5	28,8	32,0	27,0	26,7				
1"	0013-16	0003-16	0007-16	0007-16	0003-16	01TF-16	03TF-16				
	43,3 (17 / 64)	39,5	37,0	37,0	39,8	34,0	34,0				
1-1/4"	0013-20	0003-20	-	-	-	-	03TF-20				
	54,2 (22 / 74)	47,3	-	-	-	-	39,0				
1-1/2"	0013-24	0011-24	-	-	-	-	03TF-24				
	60,5 (22,5 / 81)	52,4	-	-	-	-	48,2				
2"	0013-32	0011-32	-	-	-	-	03TF-32				
	77,9 (30 / 87)	66,3	-	-	-	-	60,2				